

Sedona Sun series

BULB HEATERS

MODEL#: PA200L & PA200VL

DESCRIPTION - Ventilating fan/light with sophisticated glass lens cover. Fan shall be tested as per AMCA or the Home Ventilating Institute (HVI) standards. Evaluated by ETL and conform to UL safety standards.

MOTOR/BLOWER

Plug in permanently lubricated motor.
Power rating shall be 120V/60Hz, 0.53 amps.

BULB HEATER
Use 250W BR40 size
Infrared bulb



Air Performance

Model	Air flow (cfm)	Sones @ 0.1	Power (watt)	RPM (nominal)	Current (amp)	Room size Capacity	Electrical Rating	Insulation	Duct	Grille	Housing
PA200L	70	n/a	510	n/a	4.4	70-80 sq. ft.	120V/60Hz	R40/BR40	--	15-5/8" x 10-1/4"	14-1/4" x 10-1/8" x 6"
PA200VL	70	3.5	560	250	4.9	70-80 sq. ft.	120V/60Hz	R40/BR40	4"	15-5/8" x 10-1/4"	14-1/4" x 10-1/8" x 6"

RECESSED Fan/Light

MODEL#: AZ70RVL

DESCRIPTION - Fan/Light combination with the appearance of a recessed lighting fixture.

ETL Listed for use over bathubs and showers when connected to a GFCI protected branch circuit and used with a PAR30L or PAR30LN. ETL Listed for use in insulated ceilings (Type I.C.).

TRIM RING BAFFLE


- * White polymeric grille mounts flush with ceiling.
- * 75 Watt, any R30, BR30, PAR30L, PAR30LN (bulbs not included).
- * Baffle Dimensions: 7-3/8"

MOTOR/BLOWER

- * Plug in motor, lifetime lubrication, 120V/60Hz.
- * Low RPM balanced centrifugal blower for quiet operation.

FAN/LIGHT HOUSING

- * 26 gauge galvanized steel housing with 4" round polymeric duct connector complete with backdraft damper.
- * Adjustable mounting brackets.
- * Housing Dimensions: 14" x 7-3/4" x 5-3/4"



Air Performance

Model	Air flow (cfm)	Sones @ 0.1	Power (watt)	RPM (nominal)	Current (amp)	Room size Capacity	Electrical Rating
AZ70RVL	70	2.0	165	850	1.2	70-80 sq. ft.	120V/60Hz

MODEL	QUANTITY	COMMENTS	PROJECT
			Location:
			Architect:
			Engineer:
			Contractor:
			Submitted by:



LEXTON FANS, INC.

5681 SOUTH DOWNEY ROAD
VERNON, CA 90058 USA

Phone: 323-284-2188

Toll Free Fax: 1-866-281-8605

www.lextonfans.com